

STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

AMENDED PERMIT
TO APPROPRIATE PUBLIC WATERS OF THE STATE OF WASHINGTON

- ☐ Surface Water (Issued in accordance with the provisions of Chapter 117, Laws of Washington for 1917, and amendments thereto, and the rules and regulations of the Department of Ecology.)
- ☒ Ground Water (Issued in accordance with the provisions of Chapter 263, Laws of Washington for 1945, and amendments thereto, and the rules and regulations of the Department of Ecology.)

PRIORITY DATE	APPLICATION NUMBER	PERMIT NUMBER	CERTIFICATE NUMBER
October 4, 1989	G2-27614	G2-27614	

NAME			
Joshua and Misty Poulson			
ADDRESS (STREET)	(CITY)	(STATE)	(ZIP CODE)
30123 NW 51 st Avenue	Ridgefield	Washington	98642

The applicant is hereby granted a permit to appropriate the following public waters of the State of Washington, subject to existing rights and to the limitations and provisions set herein.

PUBLIC WATERS TO BE APPROPRIATED		
SOURCE		
Well		
TRIBUTARY OF (IF SURFACE WATERS)		
MAXIMUM CUBIC FEET PER SECOND	MAXIMUM GALLONS PER MINUTE	MAXIMUM ACRE FEET PER YEAR
	40	24.8
QUANTITY, TYPE OF USE, PERIOD OF USE		
0.5 Acre-feet per year	Single domestic supply	Year-round, as needed
0.3 Acre-feet per year	Stock Water	Year-round, as needed
24.0 Acre-feet per year	Irrigation of 12 Acres	May 1 to October 1

LOCATION OF DIVERSION/WITHDRAWAL
APPROXIMATE LOCATION OF DIVERSION--WITHDRAWAL
750 feet North and 550 feet East of the Southwest corner of Section 8.

LOCATED WITHIN (SMALLEST LEGAL SUBDIVISION)	SECTION	TOWNSHIP N.	RANGE, (E. OR W.) W.M.	W.R.I.A.	COUNTY
SW ¹ / ₄ SW ¹ / ₄	8	4	1E	27	Clark

RECORDED PLATTED PROPERTY		
LOT	BLOCK	OF (GIVE NAME OF PLAT OR ADDITION)

LEGAL DESCRIPTION OF PROPERTY ON WHICH WATER IS TO BE USED

The following described real property situated in the County of Clark, State of Washington, to-wit: Beginning at a point on the West line of Section 8, T. 4 N., R. 1 E.W.M., that is 460 feet North from the Southwest corner thereof, said point being the Northwest corner of the Woodrow Studdard Tract as conveyed by deed recorded under Auditor's File No. G 404129; thence East along the North line of said Studdard Tract, 1650 feet to the East line of the West half of the Southwest quarter of the Southeast quarter of the Southwest quarter of said Section 8; thence North 200 feet to the Northeast corner thereof; thence East 330 feet to the Southeast corner of the Northwest quarter of the Southeast quarter of the Southwest quarter of Section 8; thence North along the East line of the last mentioned legal subdivision 220 feet to the Southeast corner of the Edwin G. Seward Tract as conveyed by deed recorded under Auditor's File No. G 404469; thence West along the South line of said Seward Tract, 1980 feet to the West line of said Section 8; thence South along the West line thereof, 420 feet to the point of beginning. (Lot 11) Except Public Records. ALSO except the East 990 feet of the North 220 feet. (Lot 50) Also except Lot 55. Also except Lot 56.

DESCRIPTION OF PROPOSED WORKS

6" X 280' well with a 5-horsepower pump supplying 40 gpm to residence and 12 faucets via buried 1¼" main lines.

DEVELOPMENT SCHEDULE

BEGIN PROJECT BY THIS DATE: Started	COMPLETE PROJECT BY THIS DATE: Completed	WATER PUT TO FULL USE BY THIS DATE: July 1, 2008
--	---	---

PROVISIONS

The water user is advised that quantities recommended, and the number of acres to be irrigated, may be reduced at the time of issuance of a final water right commensurate with the capacity of the installed system, and the number of acres actually irrigated.

An approved measuring device shall be installed and maintained for each of the sources identified by this water right in accordance with the rule "Requirements for Measuring and Reporting Water Use", Chapter 173-173 WAC.

Water use data shall be recorded annually and maintained by the property owner for a minimum of five years, and shall be promptly submitted to Ecology upon request.

The following information shall be included with each submittal of water use data: owner, contact name if different, mailing address, daytime phone number, WRIA, Permit/Certificate/Claim No., source name, annual quantity used including units, maximum rate of diversion including units, monthly meter readings including units, purpose of use and period of use. In the future, Ecology may require additional parameters to be reported or more frequent reporting. Ecology prefers web based data entry, but does accept hard copies. Ecology will provide forms and electronic data entry information. Submit data to: Department of Ecology, SWRO/WR PO Box 47775, Olympia, WA 98504-7775.

Chapter 173-173 WAC describes the requirements for data accuracy, device installation and operation, and information reporting. It also allows a water user to petition Ecology for modifications to some of the requirements. Installation, operation and maintenance requirements are enclosed as a document entitled "Water Measurement Device Installation and Operation Requirements".

Department of Ecology personnel, upon presentation of proper credentials, shall have access at reasonable times, to the records of water use that are kept to meet the above conditions, and to inspect at reasonable times any measuring device used to meet the above conditions.

Installation and maintenance of an access port as described in Chapter 173-160 is required. An air line and gauge may be installed in addition to the access port.

This authorization to use public waters of the state is classified as Family Farm Permit in accordance with Chapter 90.66 RCW. This means the land being irrigated under this authorization shall comply with the following definition: Family Farm - a geographic area including not more than 2,000 acres of irrigated agricultural lands, whether contiguous or noncontiguous, the controlling interest in which is held by a person having a controlling interest in no more than 2,000 acres of irrigated agricultural lands in the state of Washington which are irrigated under water rights acquired after December 8, 1977. Furthermore, the land being irrigated under this authorization must continue to conform to the definition of a family farm.

This permit shall be subject to cancellation should the permittee fail to comply with the above development schedule and/or to give notice to the Department of Ecology on forms provided by that Department documenting such compliance.

Given under my hand and the seal of this office at Olympia, Washington,

this 22nd day of May, 2007.

Department of Ecology

OK A.L.B.

by Thomas Loranger
Thomas Loranger, Section Manager

If you require this publication in an alternate format, please contact Water Resources at (360) 407-6300, or TTY (for the speech or hearing impaired) 711 or 800-833-6388.